



Eprinex[®]

(eprinomectin)

THE POWER TO PRODUCE YOUR BEST



Produce the best

To produce the best from your breeders, you need to maintain them in good condition in order to milk and breed efficiently. Grazing cows have been shown to have increased worm egg counts at calving¹, increasing the parasite challenge to young calves. Treating breeders pre-calving has been shown to reduce the effect of worms in cows and parasite challenge to calves, resulting in increased cow and calf growth rates².

You only get out what you put in, so when it comes to producing your best – it’s important to give your cattle the greatest protection and opportunity.

EPRINEX provides persistent activity against more species of cattle worms than any other product[#]

That gives you the power to provide the best possible coverage against ALL the important gastrointestinal parasites that can affect the health and performance of your herd. This includes *Ostertagia*, *Trichostrongylus*, and *Cooperia* species.



Days of protection offered against reinfection

	<i>Ostertagia</i> spp.		<i>O. ostertagi</i>		<i>O. lyrata</i>		<i>O. leptospicularis</i>		<i>Cooperia</i> spp.			<i>C. oncophora</i>		<i>C. punctata</i>		<i>C. surnabada</i>		<i>Trichostrongylus</i> spp.		<i>T. axei</i>		<i>T. colubriformis</i>		<i>Nematodirus helvetianus</i>		<i>Oesophagostomum radiatum</i>		<i>Haemonchus placei</i>		<i>Bunostomum phlebotomum</i>		<i>Dictyocaulus viviparus</i>	
EPRINEX[®] Pour-On	28*	28*	28*	28*	28*	28*	28*	28*	28*	21	21	21	28*	28*	21	NC	28	Days of Persistent Activity															
Cydectin[®] Pour-On	NC	42	42	NC	NC	NC	NC	NC	NC	NC	28	NC	21	42	28	42	42																
Dectomax[®] Pour-On	NC	35*	NC	NC	35*	21*	NC	NC	NC	35*	NC	NC	21*	35*	21*	28*																	

[#]‘NC’ = NO registered label claim for persistent activity. Persistent activity is the length of time a product continues to kill incoming parasite larvae after administration. *Up to the periods shown. See product label for full claim details.



Eprinex - the facts

**EPRINEX has ZERO withholding period:
NIL meat, NIL milk ... and NIL ESI**

This provides the flexibility to sell cattle when you want to take advantage of changing markets or conditions.

Meat Withhold
Period



Milk Withhold
Period



Export Slaughter
Interval (ESI)



EPRINEX is weatherproof

EPRINEX is not just rainfast, it is fully weatherproof. This gives the flexibility to use at any time, in any weather conditions.



EPRINEX is convenient and easy to use

Studies have demonstrated EPRINEX offers a wide safety margin. Three times the recommended use level had no adverse effect on breeding performance of cows or bulls.

The outstanding protection of EPRINEX is matched by its hassle-free application. Its pour-on applicator makes dosing easy and accurate.

And with EPRINEX you don't have to endure a strong chemical odour when you're treating your animals.





Active Constituent: EPRINOMECTIN 5 mg/mL

For the treatment and control of internal and external parasites of beef and dairy cattle and internal parasites of deer.



Store below 30°C (room temperature). Store bottle or pack in carton to protect from light.

Pack sizes

Available in 1 Litre, 2.5 Litre, 5 Litre, 12.5 Litre, 15 Litre, 20 Litre and 22.5 Litre packs.

Both the 2.5 L and 5 L pack sizes are packaged in convenient, collapsible backpacks for easy use. The 1 L pack sizes feature the flexible 'Magicap' dispenser that eliminates the need for a drench gun.



For further information, contact your local rural store, Boehringer Ingelheim Territory Manager or call Boehringer Ingelheim Customer Solutions on 1800 808 691.

eprinex.com.au

Reference: 1. Perri, A.F., *et al.*, Gastrointestinal parasites presence during the peripartum decreases total milk production in grazing dairy Holstein cows. *Veterinary Parasitology*, 2011. 178 (3-4): p. 311-8. 2. Cummins, L.J., *et al.*, Production losses associated with bovine nematodiasis in Western Victoria. *Proc Aust Soc Animal Prod*, 1978:12 p. 278.

*See product label for full claim details and directions for use. Boehringer Ingelheim Animal Health Australia Pty. Ltd., Level 1, 78 Waterloo Road, North Ryde, NSW 2113 Australia. ABN 53 071 187 285. *EPRINEX is a registered trademark of the Boehringer Ingelheim Group. *Cydectin is a registered trademark of Virbac (Australia) Pty Ltd. *Dectomax is a registered trademark of Zoetis Inc. ©2018 All rights reserved. AUS/IVEP-181009

